

DIESEL LINE

Steam Sky

Steam cleaner with stainless-steel body and diesel-fired boiler, **water filtration system with automatic regeneration of the resins**. It is primarily used for **environmentally friendly weeding** or other applications where a connection to a power supply is not available.

Body material

Stainless steel AISI 304 BA

Boiler material

Stainless steel AISI 316 L

(with interchangeable heating element)

Power supply

1~ 230 V - 50/60 Hz

Maximum output

35.000 Kcal/h (40kW)

Boiler volume

10,7 L

Operating pressure

10 bar

Tanks

Water: **35 L** Detergent: **15 L** Diesel: **18 L**

Diesel consumption

4 L/h

Energy consumption

450 W

Steam production

916 gr/min - 55 Kg/h

Steam temperature

183°C

Detergent temperature

90°C - 160°C

Weight

220 Kg

Dimension

110x67x110cm



Scan me!

TECNOLAP

L'ARTE DEL VAPORE

DESIGNED FOR SIMULTANEOUS USE
WITH 2 OPERATORS

WATER FILTRATION SYSTEM WITH AUTOMATIC
REGENERATION OF THE RESINS



FEATURES



UNLIMITED
STEAM
AUTONOMY



TWO STEAM
OUTLETS



WATER MAINS
CONNECTION



WATER
TANK



DETERGENT
TANK



DIESEL
TANK



AUTOMATIC
WATER REFILLING



DETERGENT
INJECTION



OVERHEATED
WATER INJECTION




CONTROL
PANEL



BOILER
CLEANING
SIGNAL

FEATURES



CONTROL PANEL

- Buttons for steam flow regulation
- Display to visualize temperature and pressure levels, working hours and boiler cleaning signal
- Buttons and indicators for the complete control of the parameters of the steam cleaner



Optional accessories


Steam Sky can be used with the following accessories:



INVERTER FOR DIRECT CONNECTION TO A VEHICLE BATTERY
Specs:
12V DC 230V AC 1000W




GEYSER 1 10bar - STEAM




ACCESSORIES FOR ECOLOGIC WEEDING



Foodgrade silicone hose
4m - 8m - 10m




Steam carpet
1500x2800mm



ECOLOGIC
WEED
KILLING



SPECIAL
APPLICATIONS



TRANSPORT
INDUSTRY

