Steam Box Vac Pro

Steam cleaner with stainless-steel body and boiler, designed for industrial use and able to deliver dry saturated steam at 183°C. Equipped with a wet&dry vacuum cleaner with an induction turbine. A sturdy structure, a fully electric operation and the compact size allows a usage in any environment, both outdoors (watertight protection IPX5) and indoors (e.g. in production lines).

All steam cleaner functions can be managed on the electronic control panel.



ENG

Steam cleaner



Body material

Stainless steel AISI 304 BA

Boiler material

Stainless steel AISI 304

Boiler volume

7 L

Tanks

Water: 14 L Det: 14 L

4,8 - 8,4 - 11,1 - 15,6 kW/h

3,6 - 7,2 - 10 - 14,4 kW/h

Steam production

97 - 194 - 272 - 388 g/min 5,9 - 11,6 - 16,3 - 23 Kg/h

Power supply

3~ 400 V - 50/60 Hz

Steam temperature

183°C

Detergent temperature

90° C - 160°C

Power cord

8 m

Weight 82 Kg

124x55x80 cm

Vacuum cleaner



Power output 1 kW/h

Drum capacity 7.5 L - 14 L

Air flow

200 m3/h

Depression 2200 mm



Scan me!



FFATURES



UNLIMITED STFAM AUTONOMY



WATER MAINS CONNECTION



AUTOMATIC WATER REFILLING



WATER TANK



DETERGENT TANK



POWER SWITCH REGULATION



DETERGENT OVERHEATED INJECTION WATER INJECTION



CONTROL PANEL



VACUUM CLEANER WITH FLOAT



BOILER CLEANING SIGNAL



control of the parameters of the steam

cleaner

Optional accessories

Steam Box Vac Pro can be used with the following accessories:

GEYSER 1 10bar














JULY 10 bar **Steam accessories**



APPLICATIONS






FOOD INDUSTRY













TRANSPORT INDUSTRY













CONVEYOR BELT

