Steam cleaner with varnished-steel body and stainless-steel boiler, designed for professional use and able to deliver dry saturated steam at 165°C. Available in various

The ergonomic structure, the fully electric operation and compact size allows to usage

All steam cleaner functions can be managed on the electronic control panel.



ENG

Steam cleaner



Body material

Varnished steel P04

Body material

Stainless steel AISI 304

Power supply

1~ 230 V - 50/60 Hz

2,45 kW/h

Boiler output

2,4 kW/h

1,5 L

Boiler volume (mod. BASE)

3 ^L

Operating pressure

6 bar

Water tank (only on mod. DET - WATER - 24/7)

3 L

Detergent tank

64 g/min 3,8 Kg/h

Steam temperature

165 °c

Cable

5 m

Weight

14 Kg

33 x 28 x 42 cm



Scan me!











DETERGENT TANK



WATER TANK



MADE IN

AUTOMATIC WATER REFILLING



DETERGENT INJECTION



OVERHEATED WATER INJECTION



CONTROL PANEL



BOILER CLEANING SIGNAL

Anti-scratch rubber

wheels 360°

Display to visualize temperature and pressure levels, working hours and

Buttons and indicators for the

complete control of the parameters of

boiler cleaning signal

the steam cleaner

CONTROL PANEL

only on mod. DET - WATER - 24/7

Optional

Trolley ARENA PLUS

Control panel

Electric plug SHUKO 5m

Steam outlet

is available also in

stainless steel body

only on mod. DET

Cable holder

System ON

Detergent tank - 1 l

Optional accessories

Evo Blu can be used with the following accessories:



Mop L. 220mm

Cotton/polyester cloth L. 220mm





STEAM MOP 6 bar




APPLICATIONS





HO.RE.CA







HOUSEHOLD

HEALTH CARE









