Steam Power Plus

Steam cleaner with stainless-steel body and boiler, designed for industrial use and able to deliver dry saturated steam at $183^\circ\,C$ and high-pressure water up to 150 bar. Equipped with a wet&dry vacuum cleaner and an induction turbine. A sturdy structure, a fully electric operation and the compact size allows a usage in any environment, both outdoors (watertight protection IPX5) and indoors (e.g. in production lines).

All steam cleaner functions can be managed on the electronic control panel.

STEAM GENERATOR Body material Stainless steel AISI 304 BA	
Boiler material Boiler volume Stainless steel AISI 304 13 L (with interchangeable heating element) 13 L	Scan me
Tanks Water: 14 ^L Det: 14 ^L	
Maximum output (kW/h) 14,8 - 14,4 - 21,2 - 21,6 - 32,8 - 40	
Boiler output (kW/h) 10,8 - 14,4 - 18 - 21,6 - 28,8 - 36	
Steam production 291 - 388 - 485 - 582 - 776 - 970 ^{g/min} 17,5 - 23 - 29,1 - 35 - 46,5 - 58 ^{Kg/h}	
Power supply Operating pressure 3~ 400 ^V - 50 ^{Hz} from 1 ^{to} 10 bar	
Steam temperature 6 bar: 165 ^{°C} 10 bar: 183^{°C}	
Detergent temperature 90° ^c - 160° ^c	
Power cord Weight Dimensions 8 ^m 180 ^{Kg} 103x61x90 ^{cm}	
	FEATURES
Power output Drum capacity 3 ^{kW/h} 14 ^L - 43 ^L	S S S S S S S S S S S S S S S S S S S
Air flowDepression 320 m³/h 3200 mm	UNLIMITED STEAM AUTONOMY
HIGH PRESSURE WASHER	
MotorWater flowOperating pressure4 kW13 L/minfrom 0 to 150 bar	POWER SWITCH REGULATION optional





DETERGENT INJECTION

WATER INJECTION



СН REGULATION optional

STEAM PRESSURE REGULATION

• • • • •

CONNECTION

WATER PRESSURE REGULATION

__√

TANKS

CONTROL PANEL

REFILLING

INDUCTION TURBINE

BOILER CLEANING SIGNAL

STEAM POWER PLUS

FEATURES

Wet/dry industrial vacuum cleaner (3kW) with induction turbine: 14 | - 43 |



Detergent tank - 14 liters



- High pressure pump level indicator - Detergent tank level indicator - Hose holder

- Geyser lance holders

Pump pressure regulator and pressure gauge



Steam outlet 12P and high pressure water outlet



STEAM POWER Version with steam and high pressure washer

- - 2

----0

X

Anti-scratch rubber

wheels 360°

and safety brakes

Display to visualize temperature and

pressure levels, working hours and

Steam flow and pressure regulation

Buttons and indicators for the complete control of the parameters of the steam

boiler cleaning signal

cleaner

STEAM POWER PLUS



······ Vacuum inlet

······ Drain hose

Water tank 14 liters

- Water tank level indicator - Hose holder & accessories basket - Cable holder



Water mains connection




Electric plugs - 8m:

- IEC309/16A Mod. 10,8 kW
- IEC309/32A Mod.14,4 18 21,6 kW
- IEC309/63A Mod.28,8 36 kW



STEAM POWER PLUS

Optional accessories





STEAM POWER PLUS






INDUSTRY













TRASPORT INDUSTRY







CONVEYOR BELT



