







10<sup>kW</sup>

		STEAM CLEANER
Boiler		Stainless-steel AISI 316 L
Body		Stainless-steel AISI 304 BA
Power supply	V - Hz	1~ 230 - 50/60
Maximum output	Kcal/h	35.000
Boiler volume	1	10,7
Operating pressure	bar	10
Diesel consumption	I/h	4
Energy consumption	W	450
Water tank	1	35
Detergent tank	1	15
Diesel tank	1	18
Steam production	g/min	916
	Kg/h	55
Steam temperature	° C	183
Detergent temperature	° C	90 - 160

		VARIOUS
Weight	Kg	220
Cable	m	8
Dimensions (generator)	cm	H.107,9 x L.121,6 x W. 68,7
Dimensions (pallet)	cm	120x80x100
Pallet/unit	pz	1





#### Technical features

























Operating pressure 10 bar

Two steam

Water

Water

Deterg tank ent

Diesel

Automatic water refilling

Detergen injection Overheated water

Control

Boiler maintenance signal

### Steam cleaner with stainless-steel body and diesel-fired boiler able to deliver dry saturated steam at 182°.

- · Water filtration system with automatic regeneration of the resins.
- It is primarily used for environmentally friendly weeding or other applications where a connection to a power supply is not available.
- Designed to be used by two operators simultaneously thanks to the double steam connection.
- All steam cleaner functions can be managed on the electronic control panel.
- Equipped with hose holder, cable holder, forklift lifting brackets and safety brakes.





### **Features**



- · Buttons for steam flow regulation
- Display to visualize temperature and pressure levels, working hours and boiler cleaning signal
- Buttons and indicators for the complete control of the parameters of the steam cleaner



## Optional accessories



Steam Sky can be used with the following accessories:




INVERTER FOR DIRECT CONNECTION
TO A VEHICLE BATTERY

*Specs:* 12V DC 230V AC 1000W



### Geyser 1 10bar Steam accessories



#### ACCESSORIES FOR ECOLOGIC WEEDING



# **APPLICATIONS**





**ECOLOGIC** WEED KILLING







